



DECOART®  
ABSORBENT PANEL



Image of a pair of the 90x30cm model Ref.:DAT090 (on the left) and Ref.:DAT090 applied (ambient image).

## DESCRIPTION

The DECOART® is an acoustic treatment absorber made of self-extinguishing acoustic foam. It has an angular arc-shaped geometry describing two mountains "up and down" that make it very attractive when combined with numerous modules.

When observed from a perpendicular perspective, it has a beautiful and harmonised appearance, which is particularly attractive for common areas in public spaces.


The creation of surfaces that are efficient at absorbing sound waves becomes imperative, and that is the main feature that makes this product so relevant.

The DECOART® is perfect to cover continuous areas of walls or ceilings as a coating material and can be used as a soundproofing reinforcement as well.

It is ideal for commercial areas, television studios, pavilions, auditoriums, meeting rooms, public spaces, etc., that need specific care regarding airborne noise control.

It can be easily cut with a knife to be adjusted to the dimensions of walls and ceilings.

## TECHNICAL DRAWINGS




## FEATURES

- NRC: **0.84/m²** [ $>250\text{Hz}$ ;  $<10\text{kHz}$ ].
- Raw material: standard acoustic foam.
- **ACOUSTIC FOAM** - Self-extinguishable M1 fire-retardant foam.
- Very easy to install.
- Package: 16 units (8 pairs).
- Standard Dimensions: 96x30x8cm.
- New shape and design recommended for continuous surface treatment.
- **FINISHINGS AVAILABLE**: Regular Foam and the **new Velvety Finishing**
- Sold in pairs

## MODELS AND SIZES

MODELS	HEIGHT	WIDTH	DEPTH	WEIGHT
DAT096 (pair)	96cm	30 cm	8 cm	0.9 Kg (pair)

## ABSORPTION COEFFICIENT




■ ABSORPTION COEFFICIENT: Values in accordance with the standards: EN 20654, ASTM C423 and EN 11654.

■ Values [ $<100\text{Hz}$  and  $>5\text{K}$ ] are Non Standard Values.

\*PANEL DATA ONLY OF REF.: DAT096 REGULAR FOAM.

## REGULAR AND MELAMINE FOAM COLOURS



## VELVETY COLOURS



## IMPORTANT NOTICES

- Colour examples shown are only for reference. JOCAVI® cannot guarantee that the colours represented will exactly match the colours of the products shipped, due to the variances among different monitors and printers. Some colour variation may occur between production runs of Acoustic Foam products. Colour consistency in similar products is not guaranteed, some nuances can happen. Colour fading will occur with UV exposition over time.
- JOCAVI® products are fire retardant and/or self extinguishing to varying extents. Before purchasing any of our acoustic foam products, please check with your local fire marshal or building inspector for approval. We cannot guarantee that any product meets the specific building code regulations in your area/country as regulations widely vary from place to place. JOCAVI® will not be held liable for property damage or injuries caused by the misuse of our products.
- Typical Indoor Comfort Standards state a temperature range of  $20^{\circ}\text{C}$  -  $27^{\circ}\text{C}$  ( $68^{\circ}\text{F}$  -  $81^{\circ}\text{F}$ ), and a relative humidity of less than 60%. These would be considered as normal operational levels of JOCAVI® products' range.
- Despite all the standard sizes of all products, several of our models can be customized upon previous consultation to [info@jocavi.net](mailto:info@jocavi.net). \* Sizes may slightly vary due to their production method and some inherent raw-materials characteristics.
- Specifications can be modified without prior notice, if technical or commercial reasons so require.